

EMICRO IFRIDGEby Danby

Hospitality Product Guide



Intirion Corporation and its affiliates are not responsible for false and/or actual fire alarms caused by the proper or in-proper use of MicroFridge products.

microfridge.com

Who is MicroFrige by Danby?

MicroFridge® by Danby, the B2B division of Danby Products, is the leading supplier of small space appliances to hotels, assisted living residences, colleges and universities, military facilities, and offices in North America. We are proud to be an approved vendor for major hotel brands, providing quality products with industry-best warranties and unsurpassed customer service. Your guests will feel right at home with Danby® and MicroFridge® in-room refrigerators and microwaves. We also offer air purifiers, dehumidifiers, wine and beverage coolers, and full-size appliances for extended-stay suites.

Who We Work With?

We work with major hotel brands, designers, and FF & E companies to bring the comforts of home to their guests' rooms.

We are proud to be an approved vendor for major hotel brands, such as:

























Three Brands To Meet Your Needs

Combination Appliances





 Patented internal smoke smoke sensor automatically shuts down microwave operation and alerts the user of smoke before any damage is done.



 The Next Generation front charging station offers 3 plug-in options for even greater convenience. Two USB ports and one traditional three-prong grounded outlet to safely and conveniently charge small electrical devices.



Safe Plug®, our patented current limiting technology, restricts electrical draw to just 11
amps, by not allowing the refrigerator compressor to come on while the microwave is
running. No more overloading circuits!



• Industry Best Warranty - 7 years on major components with on-site service.

Combination Appliances





 Bracket provided to attach the refrigerator and microwave. Refrigerator and microwave can also be installed separately into case goods.



• One-Plug-to-the-Wall operation with 3 minute delay. Saves valuable outlet space, ensures less wear and tear on the refrigerator's compressor, and won't overload circuits.




Industry Best Warranty - 5 years on major components.


Refrigerators, Microwaves & Specialty Appliances





- Refrigerators from 1.0 cu. ft. to 18 cu. ft. including outdoor and glass door models.
- Microwaves from 0.7 cu. ft. to 1.6 cu. ft. including counter-top and over-the-range models.











- 1 year parts & labor
- 7 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 7 years, we ship a replacement refrigerator or microwave at no charge with free shipping.
- Onsite service available



Danby PLUG

- 1 year parts & labor
- 5 years on major components (refrigerator compressor & sealed system and microwave magnetron)
- If the major components fail in the first 5 years, we ship a replacement refrigerator or microwave at no charge with free shipping.
- Onsite service available



Danby. Do the right thing.

- 24 months parts & labor warranty
- Onsite service available
- Applies to all Danby® brand products purchased through the Hospitality Division

Microfridge® Combination Appliances



2.3MF4-7B1S

Combination Unit Dimensions: 35 9/16" (90.5 cm) H x 18 10/16" (47.3 cm) W x 19 13/16" (50.3 cm) D

- · 2 full-width wire shelves
- · 2 half-width door shelves · 2-liter bottle storage
- CanStor®
- · Temperature control
- Auto-defrost
- · Black interior
- · Estar rated
- 223 kWh

Cabinet Features

- Bevel-edge, Tri-Panel door design Integrated door handle
- Cord management hinge clip system
- Reversible door hinge
- Leveling legs
- Flush back design
- 5.5 ft (1.69 meters) cord

- NEW internal smoke sensor
- NEW USB charging station with 4 amps max for the 2 USBports and one charging station
- · Easy-grip pull door
- Express cook settings
- · Programmed cooking options
- LED display and clock
- Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Shown in true stainless steel. Also available in classic white or classic black. Similar Model: 2.5MF4E-7B1 - available in classic black.

Industry Best Warranty - 7 years on major components with on-site service.



3.1MF7-7B1S

Combination Unit Dimensions: 44" (111.76 cm) H x 18 11/16" (47.4 cm) W x 19 11/16" (50.0 cm) D

Refrigerator Features

- · 1 full-width wire shelf
- · 23/4-width door shelves
- · Temperature control
- Manual defrost
- Transparent crisper White interior
- · Environmentally friendly R600a refrigerant
- · Estar Rated
- 195 kWh

Cabinet Features

- · Bevel-edge, Tri-Panel door design
- · Recessed door handle
- · Cord management hinge clip system
- · Reversible door hinge
- · Leveling legs
- · Flat back design • 5.25 ft (1.60 meters) cord

Microwave Features

- · NEW internal smoke sensor
- · NEW USB charging station with 4 amps max for the 2 USB ports and one charging station
- Easy-grip pull door
- · Express cook settings
- Programmed cooking options
- · LED display and clock
- · Signal beeper with adjustable volume
- Removable 10 11/16" (27.1 cm) glass carousel
- 5.0 ft (1.5 meters) cord

Shown in spotless steel. Also available in classic black.

Industry Best Warranty - 7 years on major components.

Freezer Features

- True zero-degree freezer
- Manual defrost
- · Full-width door shelf

Danby® One Plug™ Combination Appliances



2.6SM4-7A1

Combination Unit Dimensions: 17 13/16 in. (45.2 cm) W x 36 15/16 in. (93.8 cm) H x 20 1/16 in. (50.9cm) D

Refrigerator Features

- CanStor® beverage dispenser
- 2 full and 1 half shelves for maximum storage versatility
- · 2 liter bottle storage
- · Reversible door hinge
- Environmentally friendly R600a refrigerant
- · Annual energy consumption 228 kWh

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- · Microwave display panel in English or French
- Easy to read LED timer/clock

Industry Best Warranty - 5 years on major components.

MicroFridge® Combination Appliances can be used attached to each other or separated for installation into cabinets.



Danby[®] One Plug[™] Combination Appliances



3.1SM6-7A1

A 3.1 cu. ft. (87 liter) compact refrigerator with true zero-degree freezer, 0.7 cu. ft. (20 liter), 700 watt, and 250 kWh annual energy consumption microwave

Combination Unit Dimensions: 18 11/16 in. (47.4 cm) W x 43 12/16 in. (111.1 cm) H x 19 11/16 in. (50.0 cm) D

Refrigerator Features

- CanStor® beverage dispenser
- 1 full shelf
- · 2 liter bottle storage
- · Reversible door hinge
- Cord length: 5.25 ft. (160 cm) · Environmentally friendly R600a refrigerant
- Annual energy consumption 250 kWh
- · True zero-degree freezer

Microwave Features

- · Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- · Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)

Industry Best Warranty - 5 years on major components.



3.2SM4A-7A1

A 3.2 cu. ft. (91.57 liter) compact refrigerator with auto-defrost and a 0.7 cu. ft. (20 liter) 700 watt microwave.

Combination Unit Dimensions: 17 13/16 in. (45.2 cm) W x 43 in. (109.2 cm) H x 18 8/16 in. (50.9 cm) D

Refrigerator Features

- · Silent defrost timer
- · Digital thermostat
- CanStor® beverage dispenser
- · 2 full and 1 half shelves for maximum storage versatility
- · Full-width ice compartment
- 2 liter bottle storage
- · Reversible door hinge
- · Annual energy consumption 258 kWh

Industry Best Warranty - 5 years on major components.

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- Microwave display panel in English or French
- · Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)



3.3SM4-7A1

A 3.3 cu. ft. (93.52 liter) compact refrigerator with auto-defrost and a 0.7 cu. ft. (20 liter) 700 watt microwave. Combination Unit Dimensions: 17 13/16 in. (45.2cm) W x 43 in. (109.2 cm) H x 20 1/16 in. (51.0 cm) D

Refrigerator Features

- · CanStor® beverage dispenser
- 1 full and 3 half shelves for maximum storage versatility
- 2 liter bottle storage
- · Reversible door hinge
- Environmentally friendly R600a refrigerant
- Annual energy consumption 259 kWh

Microwave Features

- Simple one touch cooking for 6 popular uses (popcorn, potato, pizza, beverage, dinner plate, and reheat)
- 3 specialty programs (cook by weight, defrost by weight, speed defrost)
- · Microwave display panel in English or French
- · Easy to read LED timer/clock
- Cord length: 6.0 ft. (182.9 cm)

Industry Best Warranty - 5 years on major components.



Compact All-Refrigerators

All-Refrigerator: Refrigeration only, no freezer compartment





DARO10A1BDB

1.0 cu. ft. compact all-refrigerator with automatic defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 241 kWh
- Quiet Operation at 37db
- Cord Length 61"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm) Depth 17 11/16 in. (45 cm) Height 19 13/16 in. (50.3 cm)

Only Available in black.





DARO16A1BDB

1.6 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 245 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm) Depth 17 11/16 in. (45 cm) Height 19 13/16 in. (50.3 cm)

Shown in black. Also available in spotless steel - Model DAR016A1BSLDB





DAR017A2BDD

1.7 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 221 kWh
- Cord Length 63"24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm) Depth 20 1/16 in. (51 cm) Height 20 1/16 in. (51 cm)

Only available in black.





DARO22A1SLDB

2.2 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Reversible Door Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 208 kWh
- Cord Length 61"
- 24 Month Warranty

Unit Dimensions:

Width 18 11/16" (47.4 cm) Depth 17" (43.2 cm) Height 24 15/16" (63.3 cm)

Shown in spotless steel. Also available in black - Model DAR022A1BDB





DARO26A1BDD

2.6 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 253 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45 cm) Depth 20 1/16 in. (51 cm) Height 26 15/16 in. (68.5 cm)

Shown in black. Also available in white - Model DAR026A1WDD



Compact All-Refrigerators

All-Refrigerator: Refrigeration only, no freezer compartment





DARO33A1BDD

3.3 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 259 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (45.0 cm) Depth 20 1/16" (51.0 cm) Height 33 1/16" (84.0 cm)

Shown in black. Also available in white - Model DAR033A1WDD.





DARO44A4BDD

4.4 cu. ft. compact all-refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- Energy Rating: 268 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 11/16" (52.6 cm) Depth 20 14/16" (53.0 cm) Height 32 11/16" (83.1 cm)

Shown in black. Also available in white - Model DARO44A4WDD and in spotless steel - Model DARO44A5BSLDD with glass shelves.

Compact Commercial Glass Door Refrigerators





DAGO16A1BDB

1.6 cu. ft. compact all-refrigerator with see-through glass door.

Features

- · Automatic Defrost
- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 328.5 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16 in. (45.0 cm) Depth 19 11/16 in. (50.0 cm) Height 20 1/4 in. (51.5 cm)





DAG026A1BDB

2.6 cu. ft. compact all-refrigerator with see-through glass door.

Features

- Automatic Defrost
- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 525.6 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 ½ in. (44.5 cm) Depth 19 11/16 in. (50.0 cm) Height 27 1/8 in. (68.9 cm)

Compact Refrigerators

Compact fridge comes with a full-width freezer compartment

















DCR016A3BDB

1.6 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Energy Rating: 207 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm) Depth 18 1/2" (47.0 cm) Height 19 3/4" (50.2 cm)

Shown in black. Also available in white - Model DCR016A3WDB and in spotless steel - Model DCR016ABSLDD.

DCR032A2BSLDD

3.2 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost.

Feature

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Energy Rating: 218 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm) Depth 18 8/16" (47.0 cm) Height 32 11/16" (83.1 cm)

Shown in spotless steel. Also available in black - Model DCR032A2BDD and in white - Model DCR032A2WDD.

DCR044A2BSLDD

4.4 cu. ft. compact refrigerator with full-width ice compartment and semi-automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Energy Rating: 226 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 11/16" (52.6 cm) Depth 20 14/16" (53.0 cm) Height 32 11/16" (83.1 cm)

Shown in spotless steel. Also available in black - Model DCR044A2BDD and in white - DCR044A2WDD.

DCR031B1BSLDD

3.1 cu. ft. compact refrigerator with true-zero degree freezer and cycle defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Interior Light
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 18 14/16" (48.0 cm) Depth 19 11/16" (50.0 cm) Height 33 7/16" (85.0 cm)

Shown in spotless steel. Also available in white - Model DCR031B1WDD.

Glass Cooktop



DRC14A1BD

Danby 14-inch Radiant 2 Burner Cooktop

Features

• 36 Month Warranty

Unit Dimensions:

Width 14 4/16" (36.2 cm) Depth 23 4/16" (59 cm) Height 2 13/16" (7.2 cm)



Refrigerator Tray



DRT-001

Protect your case goods from moisture and scratching

Features

- Durable Textured Finish
- Rust-resistant Plastic
- Non-Slip PEVA Tape on Bottom Four Corners
- Raised Tray Lip Holds 50 Ounces of Liquid
- Sold in Cases of 10

Available in black only.

Unit Dimensions:

Width 21" (53.3 cm)
Depth 1/2" (13 cm)
Height 19 3/4" (50.2 cm)

Outdoor Refrigerators





DARO33A1BSLDBO

3.3 cu. ft. outdoor refrigerator with automatic defrost

Features

- Tested to Operate in a
- Tropical Environment
- 4 Rust-Resistant Castors • Integrated Door Lock
- Field Reversible Hinging
- Field Reversible Hinging
 Smooth Back Design
- Interior Light
- Energy Rating: 259 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 11/16" (44.9 cm) Depth 20 1/16" (50.9 cm) Height 33 1/16" (83.9 cm)

Only available in spotless steel.





DARO44A6BSLDBO

4.4 cu. ft. outdoor refrigerator with automatic defrost

Features

- Tested to Operate in a Tropical Environment
- 4 Rust-Resistant Castors
- Integrated Door Lock
- Field Reversible HingingSmooth Back Design
- Interior Light
- Energy Rating: 268 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 20 3/4" (52.7 cm) Depth 21 5/16" (54.1 cm) Height 33 1/16" (84.0 cm)

Only available in spotless steel.



Mid-Size Refrigerators





DPF074B2BSLDB 7.4 cu. ft. refrigerator with manual defrost

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 342 kWh
- Cord Length 71"
- 24 Month Warranty

Only available in spotless steel.

Unit Dimensions:

Unit Dimensions:

Width 20 12/16" (60.2 cm)

Depth 23 10/16" (60.0 cm) Height 73 13/16" (187.5 cm)

Width 21 13/16" (55.4 cm) Depth 21 14/16" (55.5 cm) Height 56 5/16" (143.0 cm)





DBMF100B1SLDB

10.3 cu. ft. refrigerator with bottom-mount freezer

- Integrated Door Handle
- Bottom-Mount Freezer
- Glass Shelves
- Interior Light
- Energy Rating: 384 kWh
- Cord Length 63"
- 24 Month Warranty

Shown in stainless steel. Also available in white - Model DBMF100B1WDB





DFF101B1BSSDB

10.1 cu. ft. refrigerator with automatic defrost.

Features

- Field Reversible Hinging
- Smooth Back Design
- Glass Shelves
- Interior Light
- Energy Rating: 297 kWh
- Cord Length 63"
- 24 Month Warranty

Only available in spotless steel.

Unit Dimensions:

Width 23 7/16" (59.5 cm) Depth 26 1/8" (66.4 cm) Height 59 1/2" (151.1 cm)



Extended Stay Suite



DFF180E2SSDB

18 cu. ft. stainless steel refrigerator with top-mount freezer.

Unit Dimensions:

Width 29 8/16 in. (74.9 cm) Depth 32 13/16 in. (83.3 cm) Height 64 14/16 in. (164.8 cm)

Only available in stainless steel, color shown.



DDW1804EBSS

18" built-in stainless steel dishwasher.

Features

- · Drain hose included.
- Power cord and connector hoses not included.

Unit Dimensions:

Width 23 10/16 in. (60.0 cm) Depth 23 13/16 in. (58.0 cm) Height 32 8/16 in. (82.5 cm)

Shown in stainless steel. Also available in black - Model DDW1804EB and white - Model DDW1804EW



DFF101B1BSSDB

10.1 cu. ft. stainless steel refrigerator with top-mount freezer.

• Energy Rating: 287 kWh

Unit Dimensions:

Width 29 8/16 in. (74.9 cm) Depth 32 13/16 in. (83.3 cm) Height 64 14/16 in. (164.8 cm)

Only available in stainless steel, color shown.



DDW2404EBSS

24" built-in stainless steel dishwasher.

Features

- · Drain hose included.
- Power cord and connector hoses not included.

Unit Dimensions:

Width 23 10/16 in. (60.0 cm) Depth 23 13/16 in. (58.0 cm) Height 32 8/16 in. (82.5 cm)

Only available in stainless steel, color shown.



DOM16A2SSDB

1.6 cu. ft. stainless steel over-the-range microwave.

Features

- Sensor reheat
- 300 CFM vented fan
- Over-the-range installation

Unit Dimensions:

Width 29 13/16 in. (75.8 cm) Depth 18 3/16 in. (46.2 cm) Height 16 14/16 in. (42.9 cm)

Only available in stainless steel, color shown.



DDMW1125BBS

1.1 cu. ft. stainless steel microwave

Unit Dimensions:

Width 20 3/16 in. (51.3 cm) Depth 15 13/16 in. (40.2 cm) Height 12 1/16 in. (30.6 cm)

Only available in stainless steel, color shown.





DBMW0720ABD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable Cord Length 59"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm) Depth 12 15/16" (32.8 cm) Height 9 9/16" (24.3 cm)



DBMW0720ASD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length 41"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm) Depth 12 15/16" (32.8 cm) Height 9 9/16" (24.3 cm)



DBMW0720AWD

0.7 cu. ft microwave with 700 watts of cooking power.

Features

- Rotating Glass Turntable Cord Length 41"
- 24 Month Warranty

Unit Dimensions:

Width 17 9/16" (44.6 cm) Depth 12 15/16" (32.8 cm) Height 9 9/16" (24.3 cm)



DBMW0920BBB

0.9 cu. ft microwave with 900 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length 41" 24 Month Warranty

Unit Dimensions:

Width 19 1/8" (48.58 cm) Depth 14 9/16" (36.99 cm) Height 11 9/16" (29.37 cm)

Shown in black, Also available in white - Model DBMW0920BWW and in stainless steel - Model DBMW0924BBS.



DBMW1120BBB

1.1 cu. ft microwave with 1000 watts of cooking power.

Features

- Rotating Glass Turntable Cord Length 41"
- 24 Month Warranty

Unit Dimensions:

Width 20 3/16" (51.3 cm) Depth 15 3/4" (40.0 cm) Height 12 1/16" (30.6 cm)

Shown in black. Also available in white - Model DBMW1120BWW.



DDMW1125BBS

1.1 cu. ft microwave with 1000 watts of cooking power.

Features

- Rotating Glass Turntable
- Cord Length 41"
- · 24 Month Warranty

Unit Dimensions:Width 20 3/16" (51.3 cm)
Depth 15 13/16" (40.2 cm) Height 12 1/16" (30.6 cm)

Only available in stainless steel.



Specialty











DER202BSS

20" Free Standing Electric Coil Range

Features

- 2.3 cu. ft. Oven Capacity
- Easy-clean Interior
- No Power Cord Supplied
- 24 Month Warranty

Unit Dimensions:

Width 19 3/4" (50.2 cm)
Depth 23 3/4" (60.4 cm)
Height 41 3/4" (106.0 cm)

Shown in stainless steel. Also available in white - Model DER202W and in black - Model DER202B

DR202BSSGLP

20" Free Standing Gas Range

Features

- 2.3 cu. ft. Oven Capacity
- Easy-clean Interior
- No Power Cord Supplied
- · 24 Month Warranty.

Unit Dimensions:

Width 19 3/4" (50.2 cm) Depth 23 3/4" (60.4 cm) Height 41 3/4" (106.0 cm)

Shown in stainless steel. Also available in white - Model DR202WGLP and in black - Model DR202BGLP

MFSAFE01

Intelli-Vault

Safely secure your valuables with hassle-free storage.

Features

- Spacious 16" interior allows for ample space for laptops, tablets, and smart phones
- MIFARE access card o personalized 6-digit pin code
- · Crystal white LED interior lights
- 2 emergency opening override solutions

Unit Dimensions:

Width 14 14/16" (45.0 cm) Depth 16 9/16" (42.0 cm) Height 7 14/16" (20.0 cm)

Only available in charcoal black.

DBC117A1BSSDB-6

This 120 can beverage cooler is small enough to place on counter-tops, while drinks stay secured with bottom mount lock.

Features

- Field Reversible Hinging
- Smooth Back Design
- Blue LED Lighting
- Door Lock
- 287 kWh
- Cord Length 61"

Unit Dimensions:

Width 17 14/16" (45.5 cm) Depth 19 12/16" (50.2 cm) Height 33 11/16" (85.6 cm)

DWC018A1BDB

This 17 bottle compact counter-top wine cooler takes up little space, but offers guests the ideal place to store wine.

Features

- Field Reversible Hinging
- Smooth Back Design
- Blue LED Lighting
- Door Lock
- 318 kWh
- Cord Length 63"
- 24 Month Warranty

Unit Dimensions:

Width 17 8/16" (44.5 cm) Depth 19 1/16" (50.5 cm) Height 20 1/16" (51.0 cm)

Only available in black trim.

Other Items We Offer: Wine Refrigeration | Kegerators | Freezers - Upright and Chest | Dehumidifiers | Air Conditioners - Portable, Window, Thru-the-Wall, Mini Split, PTAC, and Vertical



Climate Control



DAP143BAB-UV

Air Purifier - Ideal for any space up to 210 square feet

Features

- TRUE HEPA Filter: Captures 99.97% of airborne particles 0.3 microns
- Carbon activated pre-filter helps reduce odors from pets/smoke cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with electronic controls
- Operates as low as 30dB
- Filter replacement indicator light
- AHAM verifide and ETL certified
- DAP143UV-F. replacement filter
- 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 6 14/16" (17.46 cm) Depth 10 1/16" (25.40 cm) Height 26 9/16" (66.04 cm)



DAP143BAW-UV

Air Purifier - Ideal for any space up to 210 square feet

Features

- TRUE HEPA Filter: Captures 99.97% of airborne particles 0.3 microns
- Carbon activated pre-filter helps reduce odors from pets/smoke cooking
- High CADR: Smoke 135, Dust 145, Pollen 228
- 3 fan speeds with electronic controls
- Operates as low as 30dB
- · Filter replacement indicator light
- AHAM verifide and ETL certified
- DAP143UV-F, replacement filter
- · 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 6 14/16" (17.46 cm) Depth 10 1/16" (25.40 cm) Height 26 9/16" (66.04 cm)



DAP290BAW

Air Purifier - Ideal for any space up to 450 square feet

Features

- Two TRUE HEPA Filters (Captures 99.97% of airborne particles 0.3 microns) with activated carbon pre-filter
- High CADR: Smoke 285, Dust 265, Pollen 280
- Four fan speeds with touch controls
- PM2.5 & VOC sensor included
- · LED display of air status & quality
- Three modes: Auto, Sleep, Turbo
- · Smart night mode
- Large visible filter air window
- Removable wheels for easy transportation
- Filter replacement indicator light
- · AHAM verifide and ETL certified
- DAP143UV-F, replacement filter
- 24-month warranty on parts & labor with carry-in service

Unit Dimensions:

Width 12 3/16" (30.96 cm) Depth 12 3/16" (30.96 cm) Height 26 12/16" (67.95 cm)



Packaged Terminal Air Conditioners - PTACs



DPTA090HEB1WDB

9000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R410-A refrigerant
- Anti-corrosion protection
- · Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- Compatible with remote digital thermostat (purchased seperately)
- 24-month warranty on parts & labor with in-home service



DPTA120HEB1WDB

12000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R410-A refrigerant
- · Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- · High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- Compatible with remote digital thermostat (purchased seperately)
- 24-month warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm) Depth 23.9" (60.71 cm) Height 15.98" (40.59 cm)

Unit Dimensions:

Width 42.01" (106.71 cm) Depth 23.9" (60.71 cm) Height 15.98" (40.59 cm)



DPTA150HEB1WDB

15000 BTU Terminal Air Conditioner with heat pump

Features

- Powerful 3 fan speeds for variable air flow
- Uses eco-friendly R410-A refrigerant
- Anti-corrosion protection
- Continuous fan operation
- Auto-restart
- High efficiency compressor provides durability & efficiency
- Freeze protection protects the air conditioning coils
- Compatible with remote digital thermostat (purchased seperately)
- 24-month warranty on parts & labor with in-home service

Unit Dimensions:

Width 42.01" (106.71 cm) Depth 23.9" (60.71 cm) Height 15.98" (40.59 cm)



DPSL120B1W

Terminal Air Conditioner sleeve is designed for use with Danby Packaged Terminal Air Conditioners.

It is designed for air conditioners with the dimensions: 42.01'' (W) x 20.94'' (D) x 15.98'' (H)

• Does not include architectural grill

Unit Dimensions:

Width 42.01" (106.7 cm) Depth 14.80" (37.6 cm) Height 16.06" (40.8 cm)



		Dani	y Compact	All Refriger	rators			GI	ass	Dani	y Compact	Refrigerat	ors
	DAR017A2BDD	DAR010A1BDB	DARO16A1BDB	DARO22 A1BSLDB	DAR026A1 BDD/WDD	DAR033A1 BDD/WDD	DARO44A4 BDD/WDD	DAG016 A1BDB	DAG026 A1BDB	DCR016 A3BDB	DCR031 B1BSLDD	DCR032A2 BSLDD/ BDD/WDD	DCR044A2B SLDD/BDD /WDD
Capacity	1.7 cu. ft. (49 L)	1.0 cu. ft. (29 L)	1.6 cu. ft. (45 L)	2.2 cu. ft. (61 L)	2.6 cu. ft. (73 L)	3.3 cu. ft. (93.5 L)	4.4 cu. ft. (124 L)	1.6 cu. ft. (45.4 L)	2.6 cu. ft. (74.4 L)	1.6 cu. ft. (87.0 L)	3.1 cu. ft. (87.0 L)	3.2 cu. ft. (92.0 L)	4.4 cu. ft. (126 L)
Freezer Type/ Capacity	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Ice Compartment	True-zero degree freezer/0.87 cu. ft.	Ice Compartment /0.31 cu. ft.	Ice Compartm /0.45 cu. ft.
Exterior Color													
Interior Color													
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	1	0	1	1	2	1	2	2	3	0	1	1	2
Half Shelves	1	1	1	1	1	3	1	0	0	1	0	1	1
Door Shelves	1¾ width	1 ½ width	1¾ width	1 ½ width	2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ width	N/A	N/A	1¾ width	2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ wio
Crisper	No	No	No	No	No	No	No	No	No	Yes	Yes	No	No
Upright 2-liter bottle storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Canstor* Beverage Dispenser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Defrost	Automatic	Defrost Drain	Defrost Drain	Defrost Drain	Automatic	Automatic	Automatic	Defrost Drain	Defrost Drain	Cycle	Cycle	Semi-Automatic	Semi-Automa
Cord Length	63"	61"	63"	61"	63"	63"	63"	63"	63"	63"	60"	63"	63"
					ι	JNIT DIMENS	SIONS						
Width	17 11/16" (45.0 cm)	15 1/8" (38.4 cm)	17 11/16" (44.9 cm)	18 11/16" (47.4 cm)	17 11/16" (45.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)	17 11/16" (45.0 cm)	17 1/2" (44.5 cm)	17 11/16" (44.9 cm)	18 7/8" (48.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)
Height	20 1/16" (51.0 cm)	19 1/16" (49.0 cm)	19 13/16" (50.3 cm)	24 15/16" (63.3 cm)	26 15/16" (68.5 cm)	33 1/16" (84.0 cm)	32 11/16" (83.1 cm)	20 1/4" (54.0 cm)	27 1/8" (68.9 cm)	19 1/4" (50.1 cm)	33 7/16" (85.0 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)
Depth	20 1/16" (51.0 cm)	16 1/8" (41.0 cm)	17 11/16" (44.9 cm)	17" (43.2 cm)	20 1/16" (51.0 cm)	20 1/16" (51.0 cm)	20 7/8" (53.0 cm)	19 11/16" (50.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	20 7/8" (53.0 cm)
Weight	40.4 lbs (18.3 kg)	30.86 lbs (14.0 kg)	34.2 lbs (15.5 kg)		45.7 lbs (20.7 kg)	51.7 lbs (23.5 kg)	57.8 lbs (26.2 kg)	43.4 lbs (19.7 kg)	56.9 lbs (23.6 kg)	37.2 lbs (16.87 kg)	50.7 lbs (23.0 kg)	47.4 lbs (21.5 kg)	57.8 lbs (26.3 kg)
					CA	RTON DIME	NSIONS						
Width	18 1/8" (46.0 cm)	16 1/8" (41.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	22 1/4" (56.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	22 1/16" (56.5 cm)
Height	21 7/16" (54.5 cm)	20 11/16" (52.6 cm)	20 7/8" (53.0 cm)	26 6/16" (67.0 cm)	21 1/8" (71.5 cm)	34 5/8" (88.0 cm)	34 5/8" (88.0 cm)	21 1/4" (54.0 cm)	28 1/16" (71.2 cm)	20 7/8" (53.0 cm)	34 13/16" (88.5 cm)	34 1/16" (86.5 cm)	34 5/8" (88.0 cm)
Depth	21 1/4" (54.0 cm)	17 5/16" (44.0 cm)	19 5/16" (49.0 cm)	18 5/16" (46.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	22 5/8" (57.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	22 5/8" (57.5 cm)
Weight	44.1 lbs (20.0 kg)	34.17 lbs (15.5 kg)	38.6 lbs (17.5 kg)	44.1 lbs (20.0 kg)	50.2 lbs (22.8 kg)	56.6 lbs (25.7 kg)	64.4 lbs (29.2 kg)	48.3 lbs (21.9 kg)	56.9 lbs (25.8 kg)	40.5 lbs (18.35 kg)	55.1 lbs (25.0 kg)	52.4 lbs (23.4 kg)	64.3 lbs (25.0 kg)
						MISCELLANE	EOUS						
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Energy (kWh/year)	221	241	245	208	253	259	268	328.5	401.5	207	319	218	226
R600a	Yes	Yes	Yes	Yes	Yes	Yes	Yes			Yes	Yes	Yes	Yes
Warranty	24 months parts and labor	24 months parts and	24 months parts and labor	24 months parts and labor	24 months parts and	24 months parts and	24 months parts and	24 months parts and	24 months parts and labor				



	Mid-	Size Refriger	ators	Spec	ialty Refriger	ators
	DPF074B2BSLDB	DBMF100B1SLDB	DFF101B1BSSDB	DFF180E2SSDB	DFF092C1BSLDB	DFF101B1BSSDB
Capacity	7.4 cu. ft. (209.5 L)	10.0 cu. ft. (283 L)	10.1 cu. ft. (291.5 L)	18. cu. ft. (511 L)	9.2 cu. ft. (260 L)	10.1 cu. ft. (290 L)
Freezer Type/ Capacity	Top mount 1.3 cu. ft. (37.2 L)	Bottom mount 3.1 cu. ft. (86.7 L)	Top mount 2.4 cu. ft. (68.0 L)	Top mount 4.1 cu. ft. (115 L)	Bottom mount 2.37 cu. ft. (67.1 L)	Top mount 2.37 cu. ft. (67.1 L)
Exterior Color						
Interior Color						
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	3	2	2	3	2	2
Half Shelves	0	0	0	0	0	0
Door Shelves	3 full	3 full	4 full	2 full, 3 1/2 width	1 full, 2 3/4 width	4 full
Crisper	Yes	Yes	Yes	Yes	Yes	Yes
Upright 2-Liter Bottle Storage	Yes	Yes	Yes	Yes	Yes	Yes
CanStor* Beverage Dispenser	Yes	Yes	No	No	No	No
Defrost	Manual	Automatic	Frost Free	Frost Free	Automatic	Frost Free
Cord Length	71"	63"	63"	63"	71"	63"
			UNIT	DIMENSIONS		
Width	21 13/16" (55.4 cm)	23 11/16" (60.2 cm)	23 3/4" (60.0 cm)	29 1/2" (74.9 cm)	23 13/16" (60.5 cm)	23 7/16" (59.53 cm)
Height	56 5/16" (143.0 cm)	73 13/16" (187.5 cm)	58 5/8" (149.1 cm)	64 7/8" (164.8 cm)	59 13/16" (151.9 cm)	59 1/2" (151.1 cm)
Depth	21 14/16" (55.5 cm)	23 10/16" (60.0 cm)	26 3/4" (68.0 cm)	32 13/16" (83.3 cm)	26 7/16" (67.1 cm)	26 1/8" (66.36 cm)
Weight	83.78 lbs (38.0 kg)	124.3 lbs (56.4 kg)	135.0 lbs (61.2 kg)	176.37 lbs (80.0 kg)	125.7 lbs (57.0 kg)	121.25 lbs (55.0 kg)
			CARTO	N DIMENSIONS		
Width	22 10/16" (57.5 cm)	25 3/16" (64.0 cm)	25 9/16" (65.4 cm)	30 11/16" (78.0 cm)	25 9/16" (65.4 cm)	25 5/8" (65.09 cm)
Height	57 14/16" (147.0 cm)	76 5/16" (193.9 cm)	60 1/4" (153.0 cm)	69 7/8" (177.5 cm)	62 3/8" (158.4 cm)	62 5/8" (159.07 cm)
Depth	23 4/16" (59.0 cm)	25 3/16" (64.0 cm)	29 1/4" (74.3 cm)	32 11/16" (83.1 cm)	28 3/4" (73.0 cm)	27 15/16" (70.96 cm)
Weight	92.6 lbs/ 42.0 kg	138.9 lbs/ 63.0 kg	144.0 lbs/ 65.3 kg	198.42 lbs/ 90.0 kg	138.9 lbs/ 63.0 kg	132.28 lbs/ 60.0 kg
A			MISC	ELLANEOUS		
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes
Energy (kWh/year)	342	384	297	398	374	330
R600a	Yes	Yes	No	No	No	Yes
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor

For more information, visit www.MicroFridge.com



Specialty Appliances							
	DER202BSS	DR202BSSGLP	MFSAFE01	DBC117A1BSSDB-6	DWC018A1BDB	DRC14A1BD	
Capacity	2.3 cu. ft. oven capacity	2.3 cu. ft. oven capacity	N/A	3.1 cu. ft./88 liters	16 (750ml) bottles	N/A	
Temp. Range			N/A	2°C-10°C (35.6°F 50°F)	6°C-14°C (43°F - 57°F)	520°C-650°C (968°F - 1202°F)	
Exterior Color							
Full Shelves	2	2	0	2	1	0	
Half Shelves	0	0	0	0	1	0	
Door handle	Integrated	Integrated	N/A	Side Pocket	Side Pocket	N/A	
Interior Light	No	No	No	Yes	Yes	N/A	
Reversible Door Hinge	No	No	No	Yes	Yes	N/A	
Door Lock	N/A	N/A	Yes	Yes	No	N/A	
			UNIT DIMENSIONS				
Width	23 10/16" (60.0 cm)	19 3/4" (50.2 cm)	7 7/8" (19.7 cm)	17 1/2" (44.5 cm)	17 1/2" (44.5 cm)	14 4/16" (36.2 cm)	
Height	32 1/2" (82.5 cm)	41 3/4" (106.0 cm)	17 9/16" (51.0 cm)	32 13/16" (83.3 cm)	20 1/16" (51.0 cm)	2 13/16" (7.2 cm)	
Depth	22 13/16" (82.5 cm)	23 3/4" (60.4 cm)	16 9/16" (40.2 cm)	19 11/16" (50.0 cm)	19 7/8" (50.5 cm)	23 4/16" (59 cm)	
Д			CARTON DIMENSION	IS			
Width	26 3/8" (67.0 cm)	22 5/16" (56.7 cm)	10 13/16" (27.5 cm)	19 5/16" (49.0 cm)	18 1/8" (49.0 cm)	19" (48.2 cm)	
Height	35 7/16" (90.0 cm)	42 7/8" (108.8 cm)	20 1/2" (54.0 cm)	35 13/16" (91.0 cm)	21 5/8" (54.9 cm)	6 1/16" (15.4 cm)	
Depth	26 3/8" (67.0 cm)	29 1/16" (73.8 cm)	18 3/4" (47.7 cm)	22 1/4" (56.5 cm)	21 5/8" (55.0 cm)	27 11/16" (70.4 cm)	
Weight	78.26 lbs / 28 kg	69.7 lbs / 31.6 kg	120.70 lbs / 54.8 kg	72.75 lbs / 33.0 kg	51.81 lbs / 23.5 kg	17.4 lbs / 7.9 kg	
Д			MISCELLANEOUS				
Energy Star Rated	Yes	No	No	No	No	No	
Warranty	24 months parts and labor	36 months parts and labor					
Cord Length	No powercord supplied	No powercord supplied	N/A	61"	61"	39.37"	

Microwaves								
	DBMW0720BBB	DBMW0721BBS	DBMW0920BBB	DBMW1120BBB	DBMW1125BBS			
Cook Power	700 watts	700 watts	900 watts	1000 watts	1000 watts			
Capacity	0.7 cu. ft. (20 L)	0.7 cu. ft. (20L)	0.9 cu. ft. (25 L)	1.1 cu. ft. (31 L)	1.1 cu. ft. (31L)			
Controls	Elect. Touch pad							
Power Levels	10	10	10	10	10			
Simple One Touch Cooking	Yes	Yes	Yes	Yes	Yes			
Automatic Oven Light	Yes	Yes	Yes	Yes	Yes			
Turntable	Yes	Yes	Yes	Yes	Yes			
Exterior Color								
Cord Length	59"	41"	41"	41"	41"			
		UNIT D	DIMENSIONS					
Width	17 5/16" (44.0 cm)	17 15/16" (45.5 cm)	19 1/8" (48.58 cm)	20 3/16" (51.28 cm)	20 3/16" (51.3 cm)			
Height	10 3/16" (25.9 cm)	10 3/16" (25.88 cm)	11 9/16" (29.37 cm)	12 1/16" (30.64 cm)	12 1/16" (30.7 cm)			
Depth	13 1/16" (33.1 cm)	13" (33.02 cm)	14 9/16" (36.99 cm)	15 3/4" (40.01 cm)	15 13/16" (40.1 cm)			
Weight	23.15 lbs/ 10.5 kg	23.81 lbs/ 10.8 kg	29.98 lbs/ 13.6 kg	36.38 lbs/ 16.5 kg	36.18 lbs/ 16.4 kg			
		CARTON	DIMENSIONS					
Width	19 3/16" (48.8 cm)	21 1/8" (53.6 cm)	21 1/8" (53.6 cm)	22 13/16" (57.9 cm)	22 13/16" (57.9 cm)			
Height	11 7/16" (29.1 cm)	13" (33.0 cm)	13" (33.0 cm)	14 1/4" (36.2 cm)	14 1/4" (36.2 cm)			
Depth	14 15/16" (38.0 cm)	16 5/16" (41.5 cm)	16 5/16" (41.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)			
Weight	23.15 lbs/ 10.5 kg	23.8 lbs/ 10.8 kg	29.87 lbs/ 13.6 kg	36.38 lbs/ 16.8 kg	36.18 lbs/ 16.4 kg			
А		MISCE	LLANEOUS					
Warranty	24 months parts and labor							

	Dishwashers							
	DDW2404EBSS	DDW1804EBSS						
Capacity	12 place setting	8 place setting						
Temp. Range	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)						
Exterior Color								
Full Shelves	N/A	N/A						
Half Shelves	N/A	N/A						
Door handle	Integrated	Integrated						
Indicator Light	Yes	Yes						
Reversible Door Hinge	No	No						
Door Lock	N/A	N/A						
	UNIT DIMENS	SIONS						
Width	23 10/16" (60.0 cm)	17 11/16" (45.0 cm)						
Height	32 1/2" (82.5 cm)	32 1/2" (82.5 cm)						
Depth	22 13/16" (82.5 cm)	22 13/16" (82.5 cm)						
А	CARTON DIME	NSIONS						
Width	26 3/8" (67.0 cm)	20 11/16" (52.5 cm)						
Height	35 7/16" (90.0 cm)	35 7/16" (90.0 cm)						
Depth	26 3/8" (67.0 cm)	26 3/8" (67.0 cm)						
Weight	78.26 lbs / 28 kg	66.14 lbs / 30 kg						
А	MISCELLANE	ous						
Energy Star Rated	Yes	Yes						
Warranty	24 months parts and labor	24 months parts and labor						
Cord Length	Hard Wired	Hard Wired						

	Microf	ridge®	Danby® One Plug by MicroFri			ge®
	2.3MF4-7B1	3.1MF7-7B1	2.6SM4-7A1	3.1SM6-7A1	3.2SM4A-7A1	3.3SM4-7A1
		CAF	PACITY			
Refrigerator	2.3 cu. ft. /64.6 liters	2.2 cu. ft. /62.1 liters	2.6 cu. ft. /73.0 liters	2.2 cu. ft. /62 liters	3.2 cu. ft. /92liters	3.3 cu. ft. /93.5 lite
Freezer	N/A	0.87 cu. ft. /24.7 liters	N/A	0.90 cu. ft. /24.7 liters	N/A	N/A
Total Volume	2.3 cu. ft. / 64.6 liters	3.1 cu. ft. / 87.0 liters	2.6 cu. ft. / 73.0 liters	3.1cu. ft. / 87.0 liters	3.2 cu. ft. / 92liters	3.3 cu. ft. / 93.5 lit
	,	FREEZER	R FEATURES			
Туре	N/A	True Zero-Degree	N/A	True Zero-Degree	Ice Compartment	N/A
Defrost	N/A	Manual	N/A	N/A	N/A	N/A
Shelves	N/A	N/A	N/A	N/A	N/A	N/A
Door Shelves	N/A	1 full-width				
			N/A	N/A	N/A	N/A
Ice Cube Tray	No	No	No	No	No	No
		REFRIGERATOR	SPECIFICATIONS	_	_	_
Exterior Color						
Interior Color						
Reversible Door Hinge	Yes	Yes	Yes	Yes	Yes	Yes
Tri-Panel Door	Yes	Yes	No	No	No	No
Handle Type	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Full Shelves Half Shelves	0	0	0	0	0	3
Door Shelves	2 half-shelves	2 ³ / ₄ half-shelves	2 ³ / ₄ width shelves	2 ³ / ₄ width shelves	1 full, 2 ³ / ₄ width shelve	
Crisper	No	Yes	No	Yes	No	No
Upright 2-liter	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Auto-defrost	Manual	Automatic	Manual	Automatic	Automatic
Leveling Legs	Yes	Yes	Yes	Yes	Yes	Yes
Width (W)	18 ½16" (47.3 cm)	18 ½6" (47.5 cm)	17 ½6" (44.9 cm)	18 ½ (47.5 cm)	17 ½6" (44.9 cm)	17 ½6" (44.9 cm)
Height (H)	25" (63.5 cm)	33 ⁷ /16" (85 cm)	26 ¹⁰ /16" (67.6 cm)	33 ⁷ /16" (85 cm)	32 ¹¹ /16" (83.1 cm)	32 ¹¹ /16" (83.1 cm)
Depth (D)	19 ¹³ / ₁₆ " (50.4 cm)	20 ¾" (51.1 cm)	20 1/16" (51 cm)	19 ½6" (50 cm)	18 ½" (47 cm)	20 1/16" (51 cm)
Product Weight	44 lbs (20.0 kg)	56 lbs (25.4 kg)	46.34 lbs (21.0 kg)	55.1 lbs (25 kg)	48.7 lbs (22.08 kg)	51.81 lbs (23.5 kg
Shipping Weight	49 lbs (22.2 kg)	67 lbs (30.3 kg)	50.33 lbs (22.83 kg)	59.5 lbs (27 kg)	53.1 lbs (24.09 kg)	56.84 lbs (25.78
		MICROWAVE S	SPECIFICATIONS			
Power	120 V/60 Hz	MICROWAVE S	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz
Power Cook Power	120 V/60 Hz 700 watts			120 V/60 Hz 700 watts	120 V/60 Hz 700 watts	120 V/60 Hz 700 watts
		120 V/60 Hz	120 V/60 Hz			700 watts
Cook Power	700 watts	120 V/60 Hz 700 watts	120 V/60 Hz 700 watts	700 watts	700 watts	700 watts
Cook Power Capacity (cu. ft.)	700 watts 0.7 cu. ft. (19.8 liters)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 lit
Cook Power Capacity (cu. ft.) Controls	700 watts 0.7 cu. ft. (19.8 liters) Electronic	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 lit
Cook Power Capacity (cu. ft.) Controls Exterior Color	700 watts 0.7 cu. ft. (19.8 liters) Electronic	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 liters)	700 watts 0.7 cu. ft. (19.8 lit Electronic
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color	700 watts 0.7 cu. ft. (19.8 liters) Electronic	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic	700 watts 0.7 cu. ft. (19.8 liters) Electronic	700 watts 0.7 cu. ft. (19.8 liters) Electronic	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 13/16" (45.2 cm)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 2/e" (46.0 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ²/ɾɕ" (46.0 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/16" (45.2 cm)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ /e" (45.2 cm)	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 13/16" (45.2 cm)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₁₆ " (46.0 cm) 10 ⁹ / ₁₆ " (27.0 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ²/₁e" (46.0 cm) 10 ³/₁e" (27.0 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/16" (45.2 cm) 10 5/16" (26.2 cm)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 "3/e" (45.2 cm) 10 8/e" (26.2 cm)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 "/e" (45.2 cm) 10 5/e" (26.2 cm)	700 watts 0.7 cu. ft. (19.8 lite
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₆ " (46.0 cm) 10 ⁹ / ₁₆ " (27.0 cm) 14 ⁷ / ₆ " (36.6 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₆ " (46.0 cm) 10 ⁹ / ₆ " (27.0 cm) 14 ⁷ / ₆ " (36.6 cm)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/46" (45.2 cm) 10 5/16" (26.2 cm) 13 14/46" (35.2 cm)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₁₆ " (45.2 cm) 10 ⁸ / ₁₆ " (26.2 cm) 13 ¹⁴ / ₁₆ " (35.2 cm)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ /e" (45.2 cm) 10 ⁵ /e" (26.2 cm) 13 ¹⁴ /e" (35.2 cm)	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 ¹³ / ₁₆ " (45.2 cm) 10 ⁵ / ₁₆ " (26.2 cm) 13 ¹⁴ / ₁₆ " (35.2 cm) 23.1 lbs (10.5 kg)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D) Product Weight	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ²/ϵ" (46.0 cm) 10 ³/ϵ" (27.0 cm) 14 ²/ϵ" (36.6 cm) 26.5 lbs (12.0 kg)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₈ " (46.0 cm) 10 ⁹ / ₁₈ " (27.0 cm) 14 ⁷ / ₁₆ " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/ne" (45.2 cm) 10 5/ne" (26.2 cm) 13 14/ne" (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₆ " (45.2 cm) 10 ⁵ / ₆ " (26.2 cm) 13 ¹⁴ / ₆ " (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₆ " (45.2 cm) 10 ⁵ / ₆ " (26.2 cm) 13 ¹⁴ / ₆ " (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 ¹³ / ₁₆ " (45.2 cm) 10 ⁵ / ₁₆ " (26.2 cm) 13 ¹⁴ / ₁₆ " (35.2 cm) 23.1 lbs (10.5 kg)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D) Product Weight	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ²/ϵ" (46.0 cm) 10 ³/ϵ" (27.0 cm) 14 ²/ϵ" (36.6 cm) 26.5 lbs (12.0 kg)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₈ " (46.0 cm) 10 ⁹ / ₁₈ " (27.0 cm) 14 ⁷ / ₁₆ " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/16" (45.2 cm) 10 5/16" (45.2 cm) 13 14/16" (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₆ " (45.2 cm) 10 ⁵ / ₆ " (26.2 cm) 13 ¹⁴ / ₆ " (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₆ " (45.2 cm) 10 ⁵ / ₆ " (26.2 cm) 13 ¹⁴ / ₆ " (35.2 cm) 23.1 lbs (10.5 kg)	700 watts 0.7 cu. ft. (19.8 lit. Electronic 17 13/16" (45.2 cm) 10 5/16" (26.2 cm) 13 14/16" (35.2 cm)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D) Product Weight Shipping Weight Combination Dimensions	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ²/s" (46.0 cm) 10 ³/s" (27.0 cm) 14 ²/s" (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg)	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₁₆ " (46.0 cm) 10 ⁹ / ₁₆ " (27.0 cm) 14 ¹ / ₁₆ " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg) MISCEL 44"(111.76 cm) H x 18 ¹ / ₁₆ "(47.4 cm) W x	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/16" (45.2 cm) 10 5/16" (26.2 cm) 13 14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) LANEOUS 36 15/16" (93.8 cm) H x 17 13/16" (45.2 cm) W x	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/4e" (45.2 cm) 10 5/4e" (26.2 cm) 13 14/4e" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(111.1cm) H x 17 19/4e"(45.2 cm) W x	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 ¹³ / ₁₆ " (45.2 cm) 10 ⁵ / ₁₆ " (26.2 cm) 13 ¹⁴ / ₁₆ " (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(109.2 cm) H x 17 ¹³ / ₁₆ "(45.2 cm) W x	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 13/16" (45.2 cm) 10 5/16" (26.2 cm) 13 14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43" (109.2 cm) H 17 13/16" (45.2 cm)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D) Product Weight Shipping Weight Combination Dimensions H x W x D	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² /se" (46.0 cm) 10 ⁹ /se" (27.0 cm) 14 ⁷ /se" (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg) 35 ⁹ /se" (47.3 cm) W x 18 ¹⁹ /se" (47.3 cm) D	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₈ " (46.0 cm) 10 ⁹ / ₉ " (27.0 cm) 14 ⁷ / ₉ " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg) MISCEL 44"(111.76 cm) H x 18 ¹ / ₉ " (47.4 cm) W x 19 ¹ / ₉ " (50.0 cm) D	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/ne" (45.2 cm) 10 5/ne" (26.2 cm) 13 14/ne" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) LANEOUS 36 15/ne" (93.8cm) H x 17 13/ne" (45.2 cm) W x 20 ½e" (50.9 cm) D	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 "3/e" (45.2 cm) 10 *3/e" (26.2 cm) 13 *4/e" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(111.1cm) H x 17 "1/e"(45.2 cm) W x 19 "1/e"(45.2 cm) D	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 "3/6" (45.2 cm) 10 5/6" (26.2 cm) 13 "4/6" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(109.2 cm) H x 17 "3/6"(45.2 cm) W x 20 3/6"(50.9 cm) D	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 '13/16" (45.2 cm) 10 '5/16" (26.2 cm) 13 '14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(109.2 cm) H 17 '13/16" (45.2 cm) 20 '/16" (50.9 cm)
Cook Power Capacity (cu. ft.) Controls Exterior Color Interior Color Width (W) Height (H) Depth without handle (D) Product Weight Shipping Weight Combination Dimensions H x W x D Energy (kWh/year)	700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² /s ^e " (46.0 cm) 10 ⁹ /s ^e " (27.0 cm) 14 ⁷ /s ^e " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg) 35 ⁹ /s ^e " (47.3 cm) H x 18 ¹⁹ /s ^e " (47.3 cm) W x 19 ¹³ /s ^e " (50.3 cm) D	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 18 ² / ₁₆ " (46.0 cm) 10 ⁹ / ₁₆ " (27.0 cm) 14 ¹ / ₁₆ " (36.6 cm) 26.5 lbs (12.0 kg) 28.2 lbs (12.8 kg) MISCEL 44"(111.76 cm) H x 19 ¹ / ₁₆ "(50.0 cm) D	120 V/60 Hz 700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 13/16" (45.2 cm) 10 3/16" (26.2 cm) 13 14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) LANEOUS 36 13/16" (93.8cm) H x 17 13/16" (93.8cm) H x 20 3/16" (50.9 cm) D	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 '13/16" (45.2 cm) 10 *5/16" (26.2 cm) 13 *14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43" (111.1cm) H x 17 '13/16" (45.2 cm) W x 19 '13/16" (50.0 cm) D	700 watts 0.7 cu. ft. (19.8 liters) Electronic 17 "3/6" (45.2 cm) 10 5/6" (26.2 cm) 13 14/6" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(109.2 cm) H x 17 13/6"(45.2 cm) W x 20 1/6"(45.9 cm) D	700 watts 0.7 cu. ft. (19.8 lit Electronic 17 13/16" (45.2 cm) 10 5/16" (26.2 cm) 13 14/16" (35.2 cm) 23.1 lbs (10.5 kg) 25.4 lbs (11.5 kg) 43"(109.2 cm) H 17 13/16"(45.2 cm) 20 1/16"(50.9 cm) 259



Air Purifiers							
	DAP143BAB-UV	DAP143BAW-UV	DAP290BAW				
Coverage Area (Sq. Ft.)	210	210	450				
Filter Type	HEPA/ Active Carbon	HEPA/ Active Carbon	НЕРА				
Maximum Room Size	210	210	450				
Number of Speeds	3	3	4				
Remote Control	No	No	No				
Type of Allergens Removed	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen				
Tobacco Smoke CADR	135	135	290				
Dust CADR	135	135	265				
Pollen CADR	195	195	280				
Decibels	1: 32dB, 2: 46dB, 3: 54dB	1: 32dB, 2: 46dB, 3: 54dB	1: 35dB, 2: 45dB, 3: 50dB, 4. 56dB				
PM2.5	No	No	Yes				
	UNIT DI	MENSIONS					
Width	6 14/16" (17.55 cm)	6 14/16" (17.55 cm)	12 3/16" (31.0 cm)				
Height	26 9/16" (67.5 cm)	26 9/16" (67.5 cm)	26 12/16" (68.0 cm)				
Depth	10 1/16" (25.6 cm)	10 1/16" (25.6 cm)	12 3/16" (31.0 cm)				
Weight	12.79 lbs (5.8 kg)	12.79 lbs (5.8 kg)	21.83 lbs (9.9 kg)				
	CARTON	DIMENSIONS					
Width	9 15/16" (25.2 cm)	9 15/16" (25.2 cm)	14 7/16" (36.7 cm)				
Height	30.0" (76.2 cm)	30.0" (76.2 cm)	31 4/16" (79.4 cm)				
Depth	13 1/16" (33.2 cm)	13 1/16" (33.2 cm)	14 15/16" (38.0 cm)				
Weight	15.87 lbs/7.2 kg	15.87 lbs/7.2 kg	26.68 lbs/12.1 kg				
	MISCEL	LANEOUS					
Energy Star Rated	Yes	Yes	Yes				
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor				

For more information, visit www.MicroFridge.com

		PTACs		
	DPTA090HEB1WDB	DPTA120HEB1WDB	DPTA150HEB1WDB	DPSL120B1W
Square Feet	350-400	450-500	550-700	Req. Ins.
Description	9000 BTU PTAC with heat pump	12000 BTU PTAC with heat pump	15000 BTU PTAC with heat pump	PTAC Sleeve -No Grill
Туре	PTAC	PTAC	PTAC	PTAC
Cooling Capcity	8,800/8,500	12,000/11,800	14,700/14,500	
ERR	12.8	11.6	10.5	
Heating Capacity	7,800/7,500	10,800/10,500	13,500/13,200	
СОР	3.8	3.4	3.2	
Net Weight	109	115	117	
Sound Pressure	51.5/52.5	51/51.4	52/53	
Air Circulation	321/356/387	304/355/398	312/345/374	
Dehum Function	No	No	No	Required for installation:
Power Supply	208-230/60/1	208-230/60/1	208-230/60/1	Architectural grill not supplied
Rated Amps (Cooling)	2.99/3.23	4.50/4.89	6.03/6.58	
Rated Amps (Heating)	2.64/2.82	4.05/4.36	5.38/5.82	
Cooling Power Input	680/665	1035/1020	1390/1370	
Heating Power Input	600/580	930/905	1237/1209	
		UNIT DIMENSION	is	
Width	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)
Height	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	16.06" (40.8 cm)
Depth	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	14.8" (37.6 cm)
Weight	109.57 lbs (49.70 kg)	115.74 lbs (52.5 kg)	116.6 lbs (52.9 kg)	26.01 lbs (11.8 kg)
		CARTON DIMENSIO	ONS	
Width	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	43.5" (110.5 cm)
Height	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	6.30" (16.0 cm)
Depth	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	16.34" (41.5 cm)
Weight	120.59 lbs/54.7 kg	126.77 lbs/57.5 kg	129.41 lbs/58.7 kg	31.09 lbs/14.1 kg

- Models have an optional fresh air intake to replace stagnant air.
- Regular operating temperatures for outside air 30 (86) cooling; 29 (84) heating
- Standard 208/230V, grounded receptacle 6-20p plug is supplied.



